



**Agenda**      **Regular Meeting of the Santa Fe  
River Commission  
August 14, 2025 at 6:00 PM  
City of Santa Fe Transit Center,  
Room #117  
2931 Rufina St., Santa Fe**

---

**Procedures for Santa Fe River Commission Meeting**

Join on Zoom: <https://santafenm.gov.zoom.us/j/84309864154>

The agenda and packet for the meeting will be posted at  
<https://santafenm.portal.civicclerk.com/>

1. Call to Order
2. Roll Call
3. Approval of Agenda
4. Approval of Minutes
  - a. Approval of the July 12, 2025, Meeting Minutes
5. Communications from Other Agencies/Committees
  - a. Santa Fe Watershed Association Adopt Programs Update (Mori Hensley, Executive Director Santa Fe Watershed Association, [Mori@santafewatershed.org](mailto:Mori@santafewatershed.org))
6. Informational Items
  - a. Return Flow Pipeline Project William Schneider (Water Resource Conservation Manager, [whschneider@santafenm.gov](mailto:whschneider@santafenm.gov))
7. Discussion and Action Items
8. Matters from Staff
  - a. Two Mile Pond Resolution Update Zoe Isaacson (Staff Liaison [zrisaacson@santafenm.gov](mailto:zrisaacson@santafenm.gov))
  - b. 2025 River Talks Schedule (Claire Jordy, River and Watershed Project Manager [csjordy@santafenm.gov](mailto:csjordy@santafenm.gov))
9. Matters from the Public
  - a. Two Mile Pond White Paper (Tom [Willmoth Canyon Road Neighborhood](#))

[Association, tom@bwjlawgroup.com](mailto:tom@bwjlawgroup.com))

10. Matters from the Commission

- a. Subcommittee Break-Out Session (Bill Carey, SF River Commission Chair, [billcarey.tellus@gmail.com](mailto:billcarey.tellus@gmail.com))

11. Next Meeting:

12. Adjourn

Persons with disabilities in need of additional accommodations, contact the City Clerk's office at 505-955-6521, five (5) working days prior to meeting date.

**Regular Meeting of the Santa Fe River Commission**  
**June 12, 2025 at 6:00 PM**  
**City of Santa Fe Transit Center, Room #117**  
**2931 Rufina St., Santa Fe**  
**MINUTES**

---

1. Call to Order

The Regular Meeting of the Santa Fe River Commission was called to order by chair Bill Carey at 6:00 PM, on Thursday, June 12, 2025, 2931 Rufina St, Santa Fe, NM 87507 and remotely via Zoom.

2. Roll Call

Roll Call was taken by Staff Liaison, Zoe Isaacson. All Commissioners were present, with the exception of Commissioner Klingel, who was out with an approved absence. In attendance were City of Santa Fe, District 2 Councilor Carol Romero-Wirth, City of Santa Fe Water Division Staff Alan Hook and Taylor Jurgens, Public Works Staff, Daniel Alt and Claire Jordy, Santa Fe County Staff, Andrew Harnden, and members from the public. Approval of Agenda

3. Approval of Agenda

**MOTION** A motion was made by Jackson, seconded by Hutchinson, to move item 6A before item 5 in the agenda.

**VOTE** The motion on a voice vote.

4. Approval of Minutes

- a. Approval of the April 10, 2025, Meeting Minutes

**MOTION** A motion was made by Hutchinson, seconded by Reisterer, to Approve.

**VOTE** The motion on a voice vote.

5. Communications from Other Agencies/Committees

- a. City of Santa Fe Water Division Update (Taylor Jurgens, Engineer City of Santa Fe Water Division, [trjurgens@santafenm.gov](mailto:trjurgens@santafenm.gov))

Taylor Jurgens from the City of Santa Fe Water Division provided an update on the Nichols Outlet Rehab Project, which includes replacing the existing raw water pipeline from Nichols to the Canyon Road Water Treatment Plant. A \$300,000 amendment was approved to remove old HDPE and steel pipelines from the channel, pending coordination with TNC and Audubon for better access. Volunteers, through SFWA (Santa Fe Watershed Association), will assist with replanting near Nichols Dam, though larger re-vegetation efforts are not currently scoped. The transition to the new pipeline in the roadway is planned for August, allowing for removal of the old lines before the project wraps in October. A site walk with contractors and potentially Public Works staff, is scheduled later this month to determine access, restoration needs, and equipment impacts.

- b. Santa Fe Watershed Association Adopt Programs Update (Mori Hensley, Executive Director Santa Fe Watershed Association, [Mori@santafewatershed.org](mailto:Mori@santafewatershed.org))

Mori Hensley from the Santa Fe Watershed Association (SFWA) shared updates on their Adopt-

Your-Watershed program, which currently includes 22 steward teams helping clean and care for the Santa Fe River and local arroyos. Engagement has evolved since COVID, with fewer formal team outings but more flexible, high-impact efforts like monthly workshops, "Cleanup and Coffee" events, and one-time cleanups. Despite no increase in steward numbers, the amount of trash removed has more than doubled, aided by business sponsors and expanded outreach options. SFWA is exploring ways to recruit and support more active stewards, including schools, local businesses, and everyday river users. Additionally, they received a three-year, \$200,000 USBR grant to develop a watershed restoration plan in coordination with the River Commission and other planning collaborators.

## 6. Informational Items

- a. Two Mile Pond Draft Resolution (Zoe Isaacson, Staff Liaison, [zisaacson@santafenm.gov](mailto:zisaacson@santafenm.gov))

Councilor Romero-Wirth and City staff brought a draft resolution related to Two Mile Pond before the River Commission for feedback. This resolution is meant to create a path forward for the management of Two Mile Pond complex, first by conducting deeper analyses of the area, and second, by engaging with the public and key stakeholders. This resolution does not create a set vision for what management will look like but seeks to gather more information and input to create a future vision cooperatively, given existing constraints. The initial feedback on the resolution provided by the River Commission included:

- To include more stakeholders in the list of people to engage with regarding future management options
- In the preamble of the resolution, mention "why" this study and community engagement are important.
- Include more language about no diminishment of downstream Living River flows, regardless of what happens with Two Mile Pond.
- Call out Acequia Cerro Gordo because their headgate would be affected by management decisions.
- Consider historical infrastructure of the area and involve SHPO early in the process.
- Look to SFWA stakeholder assessment from 2023 for how to unify priorities across diverse interest groups.
- The term "historical channel" can be confusing. Instead, use the language of "lowest point in the valley"
- Provide a geographic boundary for the area in question

Councilor Romero-Wirth reiterated that this resolution is meant to provide a path forward for how to create a community vision for the Two Mile Pond Complex with the existing engineering and legal constraints. The River Commission is invited to submit any additional comments on

the resolution by June 23, with an endorsement letter by June 30.

- b. Brief Report from the Love Your Watershed Day (Bill Carey, SF River Commissioner, [billcarey.tellus@gmail.com](mailto:billcarey.tellus@gmail.com))

Bill Carey reported that the Love Your Watershed Day was a success, drawing 350 attendees-up from 200 last year. Organizers are considering improvements for next year, including possibly moving the event.

7. Discussion and Action Items

8. Matters from Staff

- a. Approved 2025-2026 Target Flow Hydrograph, Zoe Isaacson (Staff Liaison [zrisaacson@santafenm.gov](mailto:zrisaacson@santafenm.gov))

Zoe Isaacson and Alan Hook from the City of Santa Fe provided an update on the Target Flow Hydrograph. It was unanimously approved and is now available on the website. The system is currently in a steady summer flow state of 0.5 cfs (cubic feet per second), with updates being tracked through various tools, including transducer pump data and the NM OSE Real Time Water Measurement site. A spreadsheet is being used to monitor Acequia flows, LR (Living River) inputs, and dam discharge, with average LR flows around 0.58 cfs weekly. Recent rain has improved river flows, helping balance allocations, and adjustments will be made once pumping ends. While actual flows don't perfectly match the target day-to-day, the total volume is expected to align by season's end.

9. Matters from the Public

10. Matters from the Commission

- a. Subcommittee Updates (Bill Carey, SF River Commissioner, [billcarey.tellus@gmail.com](mailto:billcarey.tellus@gmail.com))

Zoe Isaacson stated the subcommittee sign-up sheets will be circulated to assess current participation and involvement. There's also a need to update these lists by removing former commissioners. Zoe Isaacson will distribute the updated sheets and ensure this item is added to the next River Commission agenda.

11. Next Meeting:

- a. August 14, 2025, 6:00 PM

12. Adjourn

Adjourn at 8:05 pm

---

Zoe Isaacson, Staff Liaison

Attested To By:

---

Bill Carey, Santa Fe River Commission Chair



CITY OF SANTA FE

# RIVER TALKS 2025

A free series of presentations and tours for community members to learn more about the Santa Fe River watershed.

## 2025 SCHEDULE

**August 16 | Main Library | 10AM-12PM**

From Snowpack to Spigot : Tracing Santa Fe's Water Story

**August 23 | Upper Watershed (Meet at Audubon Center) | 9AM-1PM**

Upper Watershed Hike with SFWA

**September 6 | Canyon Rd WTP | 9AM-11AM**

The Mountains Provide: A Tour of the Canyon Road Water Treatment Plant

**September 13 | La Farge Library | 10AM-12PM**

Water in the Desert: Impacts of Development on Watershed Function

**September 17 | BDD WTP | 1PM-3PM**

From the Rio to the Tap: A Tour of the Buckman Direct Diversion

**September 24 | Paseo Real WWTP | 1PM-3PM**

Behind the Flow: A Wastewater Adventure

**October 11 | Leonora Curtin Wetland Preserve | 1PM-3PM**

Sacred Landscapes: Traditions, Wetlands and Water Management in a Modern World

**October 18 | Santa Fe Teen Center | 10AM-12PM**

One Water: A Unified Vision for Our Shared Resource

Hosted by the City of Santa Fe & the Santa Fe River Commission.

To view the full 2025 schedule and to register visit [santafenm.org/rivertalks](https://santafenm.org/rivertalks) or scan the QR code.



**Restoring Two Mile Pond  
Santa Fe River Watershed  
Santa Fe, NM**



A White Paper Prepared by the Santa Fe Canyon Preservation Association in conjunction  
with the Canyon Neighborhood Association

## 1. Introduction

This report has been prepared by the Santa Fe Canyon Preservation Association (SFCPA) in conjunction with the Canyon Neighborhood Association (CNA) (collectively, the “Canyon Partners”) to identify and evaluate concepts to restore Two Mile Pond in the Santa Fe River Canyon in Santa Fe, New Mexico.<sup>1</sup> The intent is not to promote a particular restoration method, but to stimulate discussion of the importance of Two Mile Pond as a community and regional asset. The Canyon Partners recognize numerous stakeholders share an interest in Two Mile Pond and the watershed. Any restoration effort will require a cooperative approach among many water users and landowners.

The concepts presented herein would augment this unique waterbody’s ability to support the features and functions Two Mile Pond previously offered after the main dam was breached in 1994, but before Two Mile Pond was completely drained in 2023. These include, but are not limited to:

- Enhancing the quality of riverine and wetland complexes;
- Offsetting the impact of climate change and stabilizing water supplies;
- Creating open water habitat for the benefit of native and migratory flora and fauna in Santa Fe Canyon; and
- Providing learning, eco-tourism and recreational opportunities for the entire Santa Fe community.

Overall costs depend on the scale and method of restoration, as well as the level of cooperation among the participants. Initial costs are estimated to range from negligible to approximately \$800,000. Ongoing operating and maintenance costs related to periodic maintenance will be required and are yet to be determined based on further study of sediment management alternatives. All concepts assume funds would be made available through a public-private partnership, and responsibility for long term operation would be held by the City of Santa Fe Parks and Open Space Division.


The Canyon Partners hope the following discussion and information cited will inform and engage stakeholders and the City of Santa Fe in a discussion about the value of Two Mile Pond and its potential to once again become a key piece of the Santa Fe Canyon landscape.

---

<sup>1</sup> SFCPA was formed to preserve and improve the natural and historic environment of the Santa Fe Canyon, its river and surrounding areas and to assist and cooperate with the City and County of Santa Fe and other governmental authorities and private associations in carrying out this mission. CNA was founded over four decades ago to preserve the eastside canyon neighborhood’s historic attributes and to maintain the architectural and natural resources of the Santa Fe Canyon environs.

## 2. A Brief History of Two Mile Pond


The Santa Fe River is 46 miles long with its headwaters in the Sangre de Cristo mountain range. Historically, its flows were perennial, and are now largely classified as intermittent. The Santa Fe River watershed is approximately 285 square miles, and all the surface water within the area flows to, and is a part of, the river system. Within this watershed sits Two Mile Pond; a small body of water near the intersection of Cerro Gordo and Upper Canyon Road in Santa Fe, New Mexico.




Two Mile Pond represents the remains of a larger reservoir formed by Two Mile Dam, initially constructed in 1893 to store up to 387 acre feet of water from the Santa Fe River for use downstream. Two Mile Dam was one of the largest embankment dams in New Mexico, and was the largest dam constructed at the time in the State. Used for both irrigation and potable water supply, the dam was a primary catalyst for the urbanization of Santa Fe.



According to the Santa Fe County Assessor's tax parcel information, approximately 10% of the Two Mile Pond's surface area along its southern edge is located on land owned by The Nature Conservancy ("TNC"). Approximately 60% of Two Mile Pond is on land owned by the federal government as part of the Santa Fe National Forest. The remaining roughly 30% of Two Mile Pond's surface area (including the outlet pipe and trailhead parking) is on City land.



Two Mile Dam was breached in 1994 after the discovery of a critical fault and the dam's designation as a flood hazard. At that time, most of the dam was removed, though a small pond remained and structural remnants of the dam remain in place today. Other than groundwater and seepage from the Old Stone Dam upstream of Two Mile Pond, Two Mile Pond lacks a permanent water supply.



Moreover, Santa Fe River water has periodically been directed away from the Santa Fe River’s natural channel, which flows through Two Mile Pond, and into an artificial “Bypass Channel” originally constructed in 1904 to protect Two Mile Dam from flood threats. This has the effect of rerouting the River around the former reservoir and Two Mile Pond, leaving it without a permanent, reliable surface water supply. Nevertheless, a tiny version of Two Mile Pond has always persisted.

In 2012 the City of Santa Fe adopted Ordinance 2012-10 establishing the Santa Fe River target flows for the Living River Initiative. The City committed to bypass 1,000 acre feet annually of water to the Santa Fe River in normal and wet years. These flows originate above McClure Reservoir and are released to the Santa Fe River at the base of Nichols Dam. From 2012 until it was drained in 2023, Two Mile Pond was augmented by this “Living River” water thanks to a coordinated effort by TNC and others.

Specifically in 2012, TNC, which owns most of the land under the former Two Mile Reservoir location below the Old Stone Dam, installed a diversion channel (colloquially known as the "Restoration Channel"). Funds for the restoration project were granted to the Santa Fe Watershed Association by the New Mexico Environment Department. The project was managed by TNC in the Santa Fe Canyon Preserve. The project permitted some Living River Initiative water to flow back into Two Mile Pond from the Bypass Channel.

Despite receiving initial support, approval and permitting, in 2018, the Office of the State Engineer (OSE) ordered TNC to cease surface water diversions into Two Mile Pond. In 2021, the OSE ruled the diversion had been placed illegally and that consumptive water use required to offset evaporative losses from Two Mile Pond had not been provided. The diversion was removed as required by the OSE. Because the diversion was the principal source of water for Two Mile Pond, it shrank even further and became stagnant.

When the dam was breached in 1994, a slotted outlet pipe was left intact, which controlled water elevations. However, due to lack of maintenance, the pipe became obstructed, and Two Mile Pond filled in with sediment. This caused the water level in the pond to rise several feet. In 2023, the City uncovered the slotted outlet pipe and cleaned it, which caused the water level to drop by another two and a half feet over the next several days. Additional modifications caused the water level to drop about another foot.

In response to concerns about Two Mile Pond's status, the City of Santa Fe held public meetings to gather feedback regarding management of the Two Mile Pond area for habitat preservation, recreational activities, and educational opportunities. In response, hydrologic and biologic study of the area is ongoing. The purpose of the study is to inform policy decisions regarding the management of the Two Mile Pond complex in the future. This includes determining the volume of water to be directed through the area and evaluating whether Two Mile Pond will be retained. As discussed next, the Canyon Partners believe Two Mile Pond is an essential community resource that should be maintained and improved.

### **3. Two Mile Pond as a Community Asset**

Prior to the loss of inflow, Two Mile Pond provided habitat for numerous birds, including: Warbling vireo, yellow-breasted chat, black-headed grosbeak, American robin, migrant ducks, resident American Coot, Pied-billed Grebe, swallows, White-throated Swift, Song Sparrow, Red-winged Blackbird, Great-tailed and Common Grackle, Belted Kingfisher, and Spotted Sandpiper. Wildflowers were abundant, especially in the spring. Cottonwood and willow trees dominated and provided a shady canopy. Beaver lodges, remnants of the old dam, and traces of the original route of the Santa Fe River were apparent.



These features provided substantial educational and recreational opportunities including a trail around Two Mile Pond with interpretive signs and abundant wildflowers and birdlife. The Nature Conservancy today manages 525 acres around Two Mile Pond on Upper Canyon Road. More than 30,000 visitors and 5,000 students hike the preserve annually. A recently completed ADA compliant path was recently completed to improve access for all.



Wetlands are often inviting places for popular recreational activities including hiking, fishing, bird watching, photography and hunting. More than 82 million Americans took part in these activities in 2001, spending more than \$108 billion on these pursuits. Two Mile Pond remains in the hearts of Santa Fe residents and visitors alike, despite its diminished state.

#### 4. Current Status of Two Mile Pond and the Wetland Complex<sup>2</sup>

---

<sup>2</sup> When discussing Two Mile Pond, we refer to the open water portion and immediate shoreline. When used herein, the Two Mile Pond Complex includes the pond and associated wetland habitats.

Two Mile Pond has lost most of its open water surface area. The area previously occupied by Two Mile Pond is rapidly transitioning to a wetland complex, and the amount of open water is minimal (less than one acre). Water that does remain in Two Mile Pond is generally stagnant and creates a potential breeding ground for undesirable insects like mosquitoes.

The riparian corridor that emerged within the channel formerly inundated by Two Mile Dam has remained relatively stable. The riparian area stretches from the base of Old Stone Dam to the outflow of Two Mile Pond. There has been significant tree growth around Old Stone Dam at the upper end of the complex since 2005. Soil moisture levels in the area vary. According to City studies, stream flow at the Two-Mile Pond Complex originates from groundwater discharge at Old Stone Dam, ranging from 0.16 to 0.40 cfs with an average of 0.24 cfs in the first quarter of 2024. This is the sole source of reliable water supplies to the Two Mile Pond Complex.

Since Santa Fe River water is no longer regularly directed through Two Mile Pond, the hydrology of Two Mile Pond is changing. When surface water flow and volume decrease, adverse consequences typically result, including:

- Altered water levels and vegetation composition along with encroachment of upland species
- Water temperature increases and enhanced stratification due to air temperature increases and longer hydraulic residence times
- Enhanced algal production and lowered dissolved oxygen concentrations
- Increased evaporation and water loss

These changes can affect the species that rely on Two Mile Pond's habitats, including birds, fish, amphibians, and aquatic plants. They also limit the value of recreational experiences by eliminating one of the most unique elements of the Santa Fe River Canyon.

The Canyon Partners are not the only ones to note the extraordinary value of Two Mile Pond and the related wetland complex. According to Santa Fe County's Wetland Action Plan Update (2023): "The most important, ongoing stressors of wetlands and riparian areas in Santa Fe County include ... wetland isolation; degradation of habitat quality; and hydrological changes ... ; dwindling water sources; exposure to high temperatures (leading to increased water loss from evaporation); ... and encroachment by and proliferation of invasive plants." Restoration concepts such as those proposed by the Canyon Partners here can help offset these threats by allowing critical waters to "retain more snow over a longer period in the mountains; counter evaporative water losses; help spread, infiltrate, and store water in the soil; and cumulatively moderate local micro-climates and their effect on the water balance in the landscape."

The Wetland Action Plan Update specifically identifies water loss as a present threat to the Two Mile Pond Complex and recommends securing surface and groundwater

flow into the complex. The Canyon Partners believe the concepts set forth herein are consistent with all elements of the County’s “Goal #3: Wetland restoration and protection projects that maintain or increase the acreage of functioning wetlands in Santa Fe County (no net loss)” as identified in the Update.


Indeed, the Wetland Action Plan Update marks the following as high priority for the Two Mile Pond Complex:

- Water security guarantee,
- beaver and bird habitat;
- protection of downstream values; and
- ecological and engineering analysis

Finally, it should be noted that the Two Mile Pond complex is particularly vulnerable in light of the Supreme Court’s recent decision in *Sackett v. EPA*, 598 US 651 (2023), which eliminated federal Clean Water Act protections for wetlands that lack a continuous surface connection to a navigable waterway. Restoration of a more permanent surface connection between Two Mile Pond and the Santa Fe River could help to ensure the complex is fully protected.

## 5. Potential Benefits of Restoring Two Mile Pond

Small ponds hold significant wildlife habitat value, serving as crucial breeding and feeding grounds for a variety of species, particularly amphibians, insects, and birds. They provide essential water sources for drinking and bathing, attracting diverse wildlife like frogs, insects, and small mammals due to the availability of food and shelter within their shallow edges and aquatic plant life. As many as one-half of all North American bird species nest or feed in ponds and wetlands.



They also significantly reduce sediment and pollution levels by acting as natural filters, capturing pollutants like sediment, nutrients, and chemicals from runoff water as it flows through them, allowing these particles to settle to the bottom before the water exits, thus cleaning the water body downstream.

They play a crucial role in flood management by arresting peak flow events during heavy rainfall. By slowing down the release of rainwater, ponds attenuate sudden surges that can overwhelm drainage systems downstream. This controlled discharge acts as a buffer, mitigating the risks associated with intense weather events.

Small ponds can improve water supply by acting as a local reservoir, capturing rainwater runoff and providing a readily available source of water for irrigation, especially in areas with inconsistent rainfall, thereby helping to supplement existing water supplies and reduce strain on municipal systems. Ponds also improve water supplies by recharging groundwater, which keeps more water in the system for longer, providing greater quantities for use in the watershed and allowing seepage into streams later into the summer.

The values offered by a waterbody like Two Mile Pond take on even greater significance in small western watersheds where water supplies are limited, drought is a frequent occurrence, and the effects of climate change are intensifying. For example, in 2015, the U.S. Bureau of Reclamation, the City of Santa Fe, and Santa Fe County collaborated on the *Santa Fe Basin Study: Adaptations to Projected Changes in Water Supply and Demand*. That study projected a water supply shortfall in the Basin on the order of 5,155 – 9,323 acre feet on average due to a combination of population growth, climate change, and water supply shortages. Such gaps in the water supply (the difference between supply and demand) will compromise the City’s ability to continue providing water service to the projected population of approximately 125,000 people by 2050. In response to these projections, the Basin Study sets forth a series of recommendations to mitigate the impact of the projected future scenarios. Among the recommendations contained in the Basin Study is to “[m]aintain flow in the Santa Fe River to induce infiltration into the aquifer for use in dry years.” The concepts contained herein would do exactly that.

Finally, Two Mile Pond is a unique resource in the Santa Fe Region because it is publicly accessible. Most of the Upper Santa Fe River watershed is closed to the public. There is no other place open to public access where students and other individuals may view and study a pond and the wildlife it attracts.

## **6. Restoration potential and feasibility evaluation of concepts**

The Canyon Partners considered two concepts to restore Two Mile Pond to its pre-2023 status. These concepts include restoring Living River water flows to Two Mile Pond (i.e. the “Water Supply” concept) and restoring open water by increasing the depth and

surface area of Two Mile Pond (the “Mechanical Restoration” concept). Even greater value is likely achieved by combining both concepts.

Despite their worldwide prevalence, only recently has there been a scientific definition of ponds, as distinguished from wetlands, lakes and other waterbodies.<sup>3</sup> As defined there, and as used in this section “[p]onds are small and shallow waterbodies with a maximum surface area of 5 ha, a maximum depth of 5 m, and < 30% coverage of emergent vegetation. Ponds will have light penetration to the sediments if water clarity permits and can be permanent or temporary and natural or human-made.” The concepts below are intended to ensure Two Mile Pond meets this definition.

**a. Concept 1: Restored Water Supply**

In 2012 the City of Santa Fe announced it would dedicate as much as 1,000 acre-feet per year to the Living River Initiative to support the Santa Fe River's riparian corridor. The Living River supports a healthy plant community and wildlife habitat, recharges the City Wells, and adds the beauty of free-flowing water to the parklands along the Santa Fe River. The City recently (summer 2024) stated its willingness to once again direct Living Rivers water through Two Mile Pond if related issues are addressed to the City’s satisfaction.

The Restored Water Supply Concept involves permanently restoring the flow of Living River water to Two Mile Pond and closing the outlet at the base of Two Mile Pond to hold water at post 1994 and pre-2023 levels. This would provide a consistent flow of surface water into Two Mile Pond and maintain water elevations similar to that observed prior to the City’s decision to clean out the outlet at the base of Two Mile Pond. Some or all of the City’s Living River water could be redirected to flow through Two Mile Pond, rather than through the Bypass Channel. This would have the added benefit of restoring the natural channel of the Santa Fe River, which is presently constrained to an artificial waterway originally intended only to carry periodic floodwaters around Two Mile Dam.

This concept would require, among other things:

- Resolving OSE’s concerns and mitigating any adverse impacts on downstream water users, including the local acequias (Cerro Gordo and Madre among others).
- Obtaining the City’s agreement to:
  - Redirect Living Rivers water to Two Mile Pond; and
  - To the extent storage in Two Mile Pond is not grandfathered, move a portion of its storage rights back to Two Mile Pond from Nicholls and/or McClure reservoir.

---

<sup>3</sup> Richardson, et al., Nature, Scientific Reports, *A functional definition to distinguish ponds from lakes and wetlands* (2022)

- Obtaining The Nature Conservancy's agreement to manage flow through Two Mile Pond.
- Ensuring the surface level of Two Mile Pond is not raised to such a degree that its maintenance endangers property downstream.

If the City were agreeable, initial costs could be minimal, as the water diversion works are already in place. And, while some have expressed concern that increasing Two Mile Pond's surface area would increase losses due to evaporation and transmission by up to 8 acre-feet annually, this equates to an instantaneous flow rate of just 0.011 cfs. The mean annual flow rate of the River near Santa Fe from 2001 – 2007, in comparison, was 5.7 cfs. The impact is negligible in context. Further, the downstream Acequias Cerro Gordo and Madre previously expressed concern over diversion into Two Mile Pond, however, with the completion of work at Nichols Dam, Acequia water and Living River waters will be separately measured. This should resolve any conflict about which water is being diverted for use as contemplated here.

#### **b. Concept 2: Mechanical Restoration**

If no additional water supplies can be directed to Two Mile Pond, then inflows will remain limited. Further, if the City is unwilling to close the outlet works at the base of Two Mile Pond, water levels will not increase. Under such circumstances, open water elements could only be restored through mechanical means such as dredging, which could deepen and expand Two Mile Pond.

Dredging is the process of removing accumulated sediment, muck, and debris from the bottom of a waterbody to maintain its depth and water quality. Dredging involves several steps, starting with mobilizing the dredge to the worksite, extraction of the sediment, and disposal. Factors like sediment type, water depth, and project scale influence the choice of dredging techniques and equipment. Dredging can play a crucial role in environmental conservation and restoration, particularly for habitat restoration. By removing excess debris, dredging helps restore desirable habitats and ecosystems.

This concept would require, among other things:

- Obtaining the landowners' agreement to allow dredging of Two Mile Pond.
- Locating a suitable, nearby location to deposit dredge waste.

- Obtaining any required authorization from the U.S. Army Corps of Engineers under Section 404 of the Clean Water Act.
- Resolving potential OSE concerns about increased storage capacity and evaporation losses from additional open water.
- Obtaining the City's commitment to direct the Parks and Open Space Division to maintain Two Mile Pond over time.

Exhibit A attached depicts a possible restoration concept. Based on review of historical satellite imagery, it appears that from 1994 until 2023, Two Mile Pond rarely exceeded two acres of open water surface area. This concept involves restoring the full two acres of open water habitat (blue line), by excavating to a depth of 8-12 feet, using at least a 1:5 slope to discourage rodent burrowing and avoid emergent vegetation from re-establishing in the open water portion. Additional upstream channel sinuosity (green line) would be created as part of the process.

Initial costs of dredging, assuming disposal is made within a reasonable distance, are presently on the order of \$20 - 25 per cubic yard of material. Using this general figure, one can estimate costs depending on the size and depth of the desired excavation. For example, dredging a 2-acre area 10 ft deep would generate approximately 32,000 cubic yards of material. Given the assumed cost per cubic yard, this results in a cost of roughly \$800,000. However, the actual cost likely would be less based on the slope used in the excavation.

Once dredged, Two-Mile Pond will need to be maintained. One of the most critical elements affecting how frequently maintenance dredging is required is the rate at which sediments return and fill in the excavated area. Factors like river flow, runoff from surrounding land, and watershed forestry management, can affect the rate of sediment buildup. The frequency of dredging and the desired condition will affect the cost of maintenance dredging.

One option to reduce the frequency of dredging and to preserve the integrity of Two-Mile Pond would be to install a sedimentation basin upstream of the pond. Such facilities are used to arrest the process of sedimentation downstream by slowing sediment laden water, allowing the sediment to drop out of suspension before water continues downstream. This would reduce the overall volume of sediment entering Two Mile Pond each year. These maintenance issues and related costs are subject to further study.

### **c. Combined Solution**

Likely the most beneficial alternative is to restore reliable water supplies *and* to engage in limited mechanical restoration. This would involve combining the concepts above to quickly expand Two Mile Pond's open water surface area to two acres via dredging and to dedicate a water supply that would sustain the Two-Mile Pond Complex over the long term. The success of Mechanical Restoration alone relies on the

02/01/25 - Draft


maintenance of existing groundwater levels and continued seepage from the Old Stone Dam. The addition of Living River water secure water supplies for Two Mile Pond and would maximize the value of any restoration effort. This should be a project in the Parks and not the Water Department, and legal issues should be handled by outside counsel.

# Two-Mile Pond Geologic Assessment



Prepared by **Kate Zeigler, Ph.D., CPG**

**May 29, 2025**

	<p><b>Zeigler Geologic Consulting, LLC</b> 13170 Central Ave. SE, B-137 Albuquerque, NM 87123 zeiglergeo@gmail.com zeiglergeo.com (505) 263-5448 (575) 207-7826</p>
---	---

## Table of Contents

Introduction.....	3
Regional and Local Geology .....	4
Earthquake Data.....	6
Site Visit and Conclusions.....	10
References.....	13

## Introduction


The Two-Mile Pond is located east of Santa Fe, in the southwestern Sangre de Cristo Mountains. A discussion has been developed by the Santa Fe Canyon Preservation Association (SFCPA) and Canyon Neighborhood Association (CNA) regarding various pathways to restore the pond to provide a wetland sanctuary for native and migratory flora and fauna, enhance the existing river and associated riparian and wetland areas, stabilize local surface water supplies, and provide a space for education, recreation, and ecotourism (“Canyon Partners” white paper, 2025). Concerns have been raised regarding the presence of a “critical fault” that could impact the integrity of the berm that was built in the late 1800s. Here we provide a review of the regional and local geology, documented earthquake data, and the results of a site visit to examine the local outcrops.



**Figure 1. Location of Two-Mile Pond.**


## Regional and Local Geology

Two-Mile Pond is situated on the southwestern flank of the Sangre de Cristo Mountains, the southernmost extension of the Rocky Mountains, which are the result of the Laramide mountain-building event that took place during the Late Cretaceous to Early Tertiary (Cather, 2004). To the east lies the Great Plains physiographic province and to the west the Rio Grande Rift (Figure 2). The Sangre de Cristo Mountains are composed of Precambrian granite as well as metasedimentary and metavolcanic rocks uplifted as the mountains formed. To the west is the southern Española Basin, part of the Rio Grande Rift, which includes thick sequences of basin-fill sediments of the Miocene-Pliocene Santa Fe Group.



**Figure 2. Physiographic provinces of New Mexico (after Pazzaglia and Hawley, 2004).**


Two-Mile Pond sits in a narrow valley that hosts the Santa Fe River. Outcrops of the Pennsylvanian Madera Group occur to the north of the pond, as well as to the southwest as a small fault block exposed in the floor of the valley (Read et al., 2000; Figure 3). To the south are exposures of Proterozoic granite (Xbg) and to the north are exposures of granitic gneiss. Several faults are documented in the area, as well as north-northeast trending fold hinges (anticlines and synclines) (Read et al., 2000). The pond itself is set into both shallow alluvial deposits in the valley floor and the northern wall of the pond includes granitic gneiss overlain and/or faulted against limestone beds and reddish mudstone beds of the Madera Group. Two fold hingelines cross through the pond and northern wall. An interpreted fault plane has also been identified to the north of the pond (Read et al., 2000).




**Figure 3. Geology in the vicinity of Two-Mile Pond (from Read et al., 2000). Pale green coloration around the pond is the underlying topographic map expression for a body of water.**

## **Earthquake Data**


Sanford et al. (2002) published a systematic review of earthquakes in New Mexico from 1869 through 1998 (Figures 4-6). While there is a great deal of low-level seismicity in many areas of the state, especially along the Rio Grande Rift and in the Socorro Seismic Anomaly (Northrop and Sanford, 1972), there are few events documented for the area immediately surrounding Santa Fe (Sanford et al., 2002; Figures 4-5). Three events are documented to the northeast of Santa Fe in the southern Sangre de Cristo Mountains in the 1962-1998 period, all of magnitude 2.0 and no events greater than magnitude 3.0 have been documented in this area. A magnitude 5.5 occurred near Cerrillos in 1918 and this is the greatest magnitude earthquake documented in the greater Santa Fe area (Figure 6). Modeling of seismic hazards for New Mexico suggest that the much of the state has low potential for seismic hazard, with moderate potential along the Rio Grande rift and especially within and adjacent to the Socorro Seismic Anomaly (Lin, 1999).



**Figure 4. Seismic events of moment magnitude 2.0 or greater from 1962 to 1998 (Sanford et al., 2002). Red star denotes position of Two-Mile Pond.**



**Figure 5. Seismic events of moment magnitude 3.0 or greater from 1962 to 1998 (Sanford et al., 2002). Red star denotes position of Two-Mile Pond.**



**Figure 6. Strongest earthquakes from 1869 to 1998 (moment magnitude 4.5 or greater) (Sanford et al., 2002). Red star denotes position of Two-Mile Pond.**

### Site Visit and Conclusions

On May 23<sup>rd</sup>, 2025, K. Zeigler and field assistants I. Lyons and E. McGrath accompanied Mr. Richard Ellenberg on a site assessment of Two-Mile Pond. In examining the outcrop of rock that borders the north side of the Two-Mile Pond area, we observed the fault that is documented by Read et al. (2000), which was marked by sharply northwest-tilted beds of Madera Group limestone adjacent to a distinctive reddish-black fault breccia that is very well cemented (Figures 7, 8). To the southeast of the fault breccia zone, which is up to six feet (two meters) wide are outcrops of dark red granitic gneiss. Colluvial debris covers much of the slope along this side of

the pond, but the trace of the fault can be estimated based on the orientation of the fault breccia and adjacent tilted limestone beds. The trace of the fault lies along the north side of the pond and does not appear to directly intersect the existing berm. In addition, the fault breccia observed in two places along the walking trail developed on the northern side of the pond appears to be very well cemented and would probably not act as a conduit for water to move along if the fault plane does intersect the berm. We note also that there have been no documented seismic events at or in the immediate vicinity of Two-Mile Pond, suggesting that these faults have not been subject to motion since at least the late 1800s and are unlikely to experience motion in the foreseeable future.



**Figure 7. View to the north of the outcrop along the north side of the pond. Fault is situated nearly parallel to the metal retaining wall (arrow points to retaining wall).**



**Figure 8. View to the west of fault breccia along fault plane. Tan rocks to the right side are Madera Group strata.**

## References

- Cather, S.M., 2004, Laramide orogeny in central and northern New Mexico and southern Colorado: *in* G.H. Mack and K.A. Giles (eds.), *The Geology of New Mexico, A Geologic History*, p. 203-248.
- Lin, K.W., 1999, Probabilistic Seismic Hazard in New Mexico and Bordering Areas [Ph.D. dissertation]: New Mexico Institute of Mining and Technology, Socorro, 207 p.
- Northrop, S.A. and Sanford, A.R., 1972, Earthquakes of northeastern New Mexico and the Texas panhandle: *New Mexico Geological Society Guidebook 23*, p. 148-160.
- Pazzaglia, F.J. and Hawley, J.W., 2004, Neogene (rift flank) and Quaternary geology and geomorphology: *in* G.H. Mack and K.A. Giles (eds.), *The Geology of New Mexico, A Geologic History*, p. 407-437.
- Read, A.S., Koning, D.J., Smith, G.A., Ralser, S., Rogers, J., and Bauer, P.W., 2000, Geologic map of the Santa Fe 7.5-minute quadrangle: New Mexico Bureau of Geology and Mineral Resources, Open-File Geologic Map 32, 1:24,000 scale.
- Sanford, A.R., Lin, K.W., Tsai, I.C., and Jaksha, L.W., 2002, Earthquake catalogs for New Mexico and bordering areas: 1869-1998: New Mexico Bureau of Geology and Mineral Resources Circular 210, 15 p.